Approved For Release 2001/09/03 : CIA-RDP78B04560A005000010039-8

NO FOREIGN DISSEM

25X1C

PHOTOGRAPHIC INTERPRETATION REPORT





WEEKLY SUPPLEMENT

AAA SITE SURVEY **NORTH VIETNAM**

NPIC/R-440/65 10 DECEMBER 1965

CONFIDENTIAL

NOOFBIEFED VEESENF

A-RDP78B04560A02058000010039-8

GROUP 1 EXCLUDED FROM AUTOMATIC DOWNGRADING AND DECLASSIFICATION

Approved For Release 2001/09/03 : CIA-RDP78B04560A005000010039-8

WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

Approved For Release 2001/00/PD ENT FALP78B04560A005000010039-8

NO FOREIGN DISSEM

25X1C

WEEKLY SUPPLEMENT AAA SITE SURVEY NORTH VIETNAM

This report supplements the monthly "AAA Site Survey, North Vietnam." Based on the latest aerial photographic missions available to the NPIC, it updates the most recent weekly supplement or monthly report, and provides information on newly identified sites, which after initial reporting will be carried only when occupied. Previously reported unoccupied sites will be evaluated on a mission-by-mission basis, and reported immediately when first observed to be occupied.

For reporting purposes, AAA defenses are divided into three basic categories: HMGAA (50 cal. and 12.7mm), light (ZPU-1, ZPU-2, ZPU-4, 37mm), medium (57mm, 85 mm), and heavy (100mm and larger).

The computer tabulation provides the following information, from left to right, in two or more lines entires.

A. FIRST LINE

- (1) Installation Number -- A unique installation number containing the standard two letter country designator, a two digit province designator, and a four digit installation designator within the province. The ALPHA E denotes the NPIC report type. A map showing provinces and their designators is included in this report.
- (2) Name -- Name of nearest town or village as derived from the AMS map series L509, scale 1:250,000, and abbreviated within the ten space limitation, as appropriate.
- (3) Military District -- A two letter or Roman Numeral abbreviation of the military district as indicated on the map included in this report.
- (4) Coordinates -- Geographic coordinate derived from the AMS map series L509, scale 1;250,000 and/or AMS

- map series L701, scale 1:50,000. In case of multiple sites reported under the same installation number, the coordinate represents the centermost coordinate.
- (5) UTM -- UTM coordinate, derived from the AMS series L509, scale 1:250,000 and/or AMS map series L701, scale 1:50,000, carried to the nearest 100 meters. In case of multiple sites reported under the same installation number, the coordinate represents the centermost coordinate.
- (6) Status -- Listed as active or dummy. Only occupied dummy sites will be reported.
- B. SECOND LINE
- (1) Date -- Date of information (photography) from which the report is derived.
- (2) Mission -- Mission Alpha/numeric designator from which the report is derived.
- (3) Frame -- Frame number(s) from which the report is derived. The IBM program provides for a maximum of two selected frame numbers. In cases where the installation is imaged on more than two frames, the two best-quality frames are recorded. The alpha designator preceding the frame number denotes the camera position.
- (4) Count -- Site, position, and equipment count normally expressed by a single digit in the case of site(s), and no more than two digits in the case of position(s) and equipment.
- (5) Site Category -- Site category preceded by degree

25X1A

25X1A

Approved For Release 2001/09/03 : CIA-RDP78B04560A005000010039-8 CONFIDENTIAL

NO FOREIGN DISSEM

25X1C

of confidence.


The third and following lines report the number of positions occupied and/or unoccupied; the size of the weapon (light, medium, or heavy); other equipment by count and type (fire control radar, fire director, etc.); and associated vehicles, as appropriate.

When two or more sites are carried under the same installation number, normally they will be reported in their entirety and one will immediately follow the other.

Several abbreviations appearing in the "Equipment Type" column include: PROB.(Probable), POSS.(Possible), LT. (Light), MED. (Medium), HVY.(Heavy), PSN.(Position),

OCC. (Occupied), UNOCC. (Unoccupied), and HMGAA (Heavy Machine Gun Antiaircraft). Other abbreviations may appear in this column when equipment and/or vehicles are reported and as imposed by report space limitations. In an installation containing more than one site, the "Equipment Type" column will also indicate the number either dismantled or not observed.

Sites are arranged by geographic coordinates in ascending order. Upon request, NPIC can provide additional listings in any of the following sequences: installation number, alphabetic, military district, UTM coordinates, or date of information.



NPIC H-9995 (5/64)

_			Appr				A005000100	20.8	
CONFIDENTIAL/NOFORM			Appr IAL/NOFORN	0A005000010039-8 25X1C R 440/65					
	INSTALLA	TION	NO. NAME	MD	COORDINATE	UTM :	STATUS	COUNT	EQUIPMENT TYPE
	VN27Ø111	E	BINHLANG	IV	: 1831N 1Ø542E	<u> WF74648</u> 7 ;	ACTIVE	}	
İ								1 4	LT AAA SITE
25X1I	_	_	D.T.W. 4						ET AAA FON OCC
	VN27Ø112	t	BINHLANG	IV	1831N 10542F	WF748484	ACTIVE	: 1.	LT AAA SITE
25X1C								4:	LT AAA PSN OCC
	VN25ØØ98	F	BAITHUONG	RB ·	1953N 1Ø522E	มนผลวสสว :	ACTIVE		
ą.	VIII 32030	_	DATITIOUNG	NB	1333N 18322E	W1482882	ACTIVE	1.	HMGAA SITE
25X1D					1			4	HMGAA PSN OCC
	VN25ØØ75	E	BAITHUONG	· RB :	1953N 10524E	WG4Ø3992	ACTIVE	:	*
								1 :	LT AAA SITE
25X1D	,							4 :	LT TAAA PSN OCC
	VN25ØØ87	E	BAITHUONG	RB ·	1953N 10526E	WH399999	ACTIVE		
								1 .	HMGAA SITE
25X1D								5 · 1 ·	HMGAA :PSN : DCC : HMGAA :PSN : UNOCC :
	VN25ØØ97	_	0.4.7.7.1110.110	2.2	10544 16500				
ı	VN220091	E	BAITHUONG *	КB	1954N 1Ø522E	WH394006	ACTIVE	1	MED AAA SITE
								7	MED AAA PSN OCC
25X1D								1.	MED AAA PSN UNOCG L
								1 . 1 ;	FIRE CONTROL RADAR -
								1 4	FIRE DIRECTOR
.	VN25ØØ77 -	E	BAITHUONG	: RB :	1954N 10523E	WH405005	DISMANTLED		4 · '
25X1D			4						
	VN25ØØ9Ø	E	HAITRACH	RB∈	1954N 10528E	WH498Ø19	ACTIVE	§	· · · · · · · · · · · · · · · · · · ·
								1.	MED AAA SITE
25X1D	•						,	7 : 1 :	MEDHAAA (PSNAOCG). Medhaaa (PSNAUNOCG)
								i i	FIRE CONTROL RADAR
								1 *	FIRE DIRECTOR
ı									

	CONF	IDENTIA	Approve AL/NOFORN	d Con Do	2004/00/02 - C	IA DDD70D0456	0A005000010		R 440765
	INSTALLA			MD .	COORDINATE	UTM	STATUS		EQUIPMENT: TYPE:
	INSTALLA	TITON NO	/o. NATE.	ישויו	COUNDINATE	O 141)	3141.05	C00111	F #O Transfer to the same
	VN25ØØ93	E	HAITRACH	RB :	1954N 1Ø528E	WH5Ø4ØØ1	ACTIV	E	
								1 /	MED AAA SITE
051/45								6	MED: AAA IPSN 10CG I
25X1[_	2		21124 185225	111207450	.CTTW	-	
l ,	VN190020	<u> </u>	QUYMONG	RB:	2112N 10522E	WJ387454	ACTIV	1.	MED AAA SITE
								7	MED AAA PSN. OCC
25X1E	1							1	MED AAA PSN UNOCG
4011	,							1 :	FIRE CONTROL RADAR
								1	FIRE DIRECTOR
٠,					•			* *	TRE DIRECTOR
	VN19ØØ25	F	QUYMOUNG	VΒ	2112N 1Ø522E	W.1385441	ACTIV	B * .	
i			40				****	1	MED AAA SITE
i								8	MED AAA PSN OCC
25X1	D							1 2	FIRE CONTROL RADAR
								1 :	FIRE DIRECTOR -
i									y and
i	VN12ØØ16	E	HISON	٧B	2116N 1Ø518E	WJ324617	ACTIV	_	
i								1 .	MED AAA SITE
25144	_							8	MED AAA (PSN: OCC)
25X1	D							1 .	FIRE CONTROL RADAR
								1	FIRE DIRECTOR -
	****100007	_	TANDUONO	VO.	21168 185225	U 1202510 :	ACTIV	- .	
	VN19ØØ27	<u> </u>	TANPHONG:	VB≔	2116N 1Ø522E	M1395310	ACTIV		MED (AAA.) CITE (
i							•	7	MED AAA SITE
25745								1	
25X1E)							-	FIRE CONTROL RADAR -
i								1	PIKE DIRECTUR
	VN13ØØ34	. c	MOCHUHA	VB:	2116N 1Ø526E	WJ466523	ACTIV	E ,	The many of the control of the second of the control of the contro
	ANTORNOA	E	MUCHUNA	V D	ZIION IDJZUC	WSTOOJES	ACT 1	1:	MED AAA SITE
`*								8	MED AAA PSN OCC
İ								1,	FIRE CONTROLS RADAR -
25X1	n							1.	FIRE DIRECTOR
20/(.								. 🕳 a	FIRE DIRECTOR
1									

INSTALLATION NO. NAME MD COORDINATE UTM STATUS COUNT EQUIPMENT TYPE VN130036 E BAOSAO VB 2117N 10527E WJ482533 ACTIVE 1 MED AAA PSN OCC 1 FIRE CONTROL RAD 1 FIRE DIRECTOR	
VN130036 E BAOSAO VB 2117N 10527E WJ482533 ACTIVE 1 MED AAA SITE: 8 MED AAA PSN OCC 1 FIRE CONTROL: RAD 1 FIRE DIRECTOR	AR
25X1D 1 MED AAAA SITE 3 8 MED AAA PSN OCC 1 FIRE CONTROL RAD 1 FIRE DIRECTOR	AR
25X1D 1 FIRE CONTROL RAD 1 FIRE DIRECTOR	AR
1; FIRE CONTROL RAD 1; FIRE DIRECTOR	AR
	1
VN12ØØ14 E PHUONGCHAU VB 2119N 1Ø522E WJ394581 ACTIVE	1
1 MED AAR CITE	-
8 MEDIAAA IPSNINGG	ļ
25X1D 1 FIRE CONTROLL RAD	AR
1 FIRE DIRECTOR	~··
	-
VN120015 E KHANGPHU VB 2120N 10519E WJ344602 ACTIVE	ļ
1 MED BANA PSN COCC	ļ
8 % MED:AAA (PSN)OCC (ļ
25X1D 1 FIRE CONTROL RAD	AR
1 FIRE DIRECTOR	J
The complete of the control of the c	I
VN120013 E PHUDUC VB 2120N 10521E WJ368594 ACTIVE	1
1 MED AAA (SITE)	- 1
25X1D 8 MED AAA (PSN ADCC)	
I Z FIRE CONTROLHRAD	AR -
1 FIRE DIRECTOR	
VNØ6ØØ43 E DONGHUONG VB 2133N 1Ø629E XJ55Ø854 ACTIVE	
ACTIVE:	1
6 HMGAA PSN DCC	1
25X1D THISAA (PSN DUC)	
VN140084 E BALUONG LB 2133N 10629E XJ543847 ACTIVE	
1 HMGAA SITE	1
8 HMGAA PSN DCC	
25X1D	
VNØ6ØØ26 E DEODINH IV 2136N 1Ø632E XJ592899 INACTIVE	
1. LTRAAA/SITE:	ļ
6 LT LAAA PSN UNOCC	ž.
25X1D	

	CONF	IDENTIAL	Appro	Fan Dala	000	V00400 - CI	A DDD70D0450	60A005000010	039-8 25X1C	R -44Ø∄65 -
		TION NO.		MD	COOR	DINATE	UTM -	STATUS	COUNT	EQUIPMENT TYPE
٧	NØ6ØØ44	Ε	BANRE	VB	2141N	1Ø639E	XK715000	ACTIV	E 22	HMGAA SITE
25X1D							*		7 .	HMGAA PSN DCC
v	N110007	E	YENBAI	VB	2142N	1Ø453E	VK885ØØ3	ACTIV		
25X1D									1 + 4 ±	LT4AAA4SI¥E LT4AAA4PSN4OCC4
39	NØ6ØØ41	Ε	BANRE	VB .	2142N	1Ø639E	XK718ØØ5	ACTIV	E	* · · · · · · · · · · · · · · · · · · ·
્તું .									1:	HMGAA / SIJE HMGAA / PSN \ OCC
25X1D							•		•	THOMAST SILVOGS
٧	NØ6ØØ42	E	BANRE	VB	2142N	10640E	XK724ØØ5	ACTIV	E : 1 ;	HMGAA SITE
					·		ļ.		7	HMGAA PSN OCC
25X1D	NØ3ØØØ3	£	TUYENQUANG	VB :	2147N	1Ø512E	WK2181ØØ	ACTIV	E	
ľ	Canacal		TOTENGOANG	V	21460	10)122	WILETOTED	79.11	1.7	LT AAA SITE
25X1D									4 :	LT-AAA (PSN (OCC)
	NØ3ØØØ4	E	TUYENQUANG	VB ·	2147N	1Ø513E	WK2281Ø3	ACTIV		
									1 4 :	LT (AAA (SITE) LT (AAA (PSN-OCC)
25X1D									* *	ET CHAN TOTT OUT

CONFIDENTIAL/NOFORN

60A005000010039£**5**X1<mark>,</mark>C₁

Approved For Release 2001/09/03: CIA-RDP78B04560A005000010039-8

CONFIDENTIAL NO FOREIGN DISSEM

25X1C